Pool Tile
กระเบื้องสระว่ายน้ำ

COTTO Life

2 floor, SCG Experience
Tel: 02 101 9922

www.cottolife.com
@COTTOLife

บริษัท เอสซีจี เซรามิกส์ จำกัด (มหาชน)
36/11 ถนนวิภาวดีรังสิต แขวงสนามบิน เขตดอนเมือง กรุงเทพฯ 10210
SCG Ceramics Public Company Limited
36/11 Vibhavadi Rangsit Road, Sanambin,Don Mueang, Bangkok 10210

* โปรดศึกษา “คู่มือการใช้สินค้า” และ “คู่มือการติดตั้ง” ให้เข้าใจก่อนการใช้งานจริง
* สีในรูปตัวอย่างอาจแตกต่างจากกระเบื้องจริงเล็กน้อยเนื่องจากการพิมพ์
* รายละเอียดต่างๆ ที่ระบุในเอกสารนี้ บริษัทฯ อาจเปลี่ยนแปลงได้ตามความเหมาะสม โดยไม่ต้องบอกกล่าว
* *Color of tiles in this print may vary slightly due to the printing process. Final color selection should be made from tile samples.*
* *The detail information in this print may be modified or updated by the company without prior notice.*


Certified Management System
ISO 9001:2000
ISO 14001:2004

COTTO

COTTOofficial COTTOtiles COTTOofficial www.cotto.com



Pool Tile
กระเบื้องสระว่ายน้ำ





COTTO

Pool Tile
กระเบื้องสระว่ายน้ำ

สีของน้ำช่วยสร้างบรรยากาศให้สวยงาม สมจริง และดึงจุดเด่นของสระขึ้นมา ทำให้รู้สึกได้ผ่อนคลายเสมือนอยู่ท่ามกลางชายหาด และทะเลธรรมชาติ COTTO จึงนำเสนอในรูปแบบสีของน้ำที่หลากหลาย โดยแบ่งเป็นโทนสีอ่อน Baby Blue, Light Blue, Sky Blue ไปจนถึงโทนสีเข้ม Turquoise, Pacific Blue, Midnight Blue ตอบโจทย์ทุกสไตล์ได้อย่างลงตัว

Ocean Vibes create the aesthetic and unique pool for relaxing like a beach COTTO presents from light tone (Baby Blue, Light Blue, Sky Blue) to dark tone (Turquoise, Pacific Blue, Midnight Blue) applicable for every style.








BABY BLUE


LIGHT BLUE


SKY BLUE


TURQOUISE


PACIFIC BLUE


MIDNIGHT BLUE






4SR1

GLAZED MOSAIC TILE


(Tile Size 97.0x97.0 mm.)
(Sheet Size 297.0x297.0 mm.)

SURFACE : GLOSSY




4SR1-CALACATTA
4SR1-CARCARIANA

SURFACE : MATT



4SR1-S MARBLE
4SR1-SILVER MARBLE



4SR1-HIDEAWAY ALPINE LT-GY
4SR1-HAMMOND LT-GREY

SURFACE : SATIN

4SR1 VISTA


4SR1 VENETO

2SR1

GLAZED MOSAIC TILE

(Tile Size 47.0x47.0 mm.)
(Sheet Size 297.0x297.0 mm.)

SURFACE : MATT




2SR1-HIDEAWAY ALPINE
LIGHT GREY



2SR1-HIDEAWAY ALP SILVERFROST

SURFACE : GLOSSY



2SR1-CELADON MINT

2SM

GLAZED MOSAIC TILE


(Tile Size 48.0x48.0 mm.)
(Sheet Size 298.0x298.0 mm.)

SURFACE : MATT



2SM-HAMMOND LIGHT GREY

Ocean Vibes - **BABY BLUE**




4SR1


GLAZED MOSAIC TILE

(Tile Size 97.0x97.0 mm.)
(Sheet Size 297.0x297.0 mm.)


SURFACE : MATT



4SR1-HIDEAWAY ALPINE GREY
4SR1-HAMMOND GREY




4SR1-MIX STONE GREY



4SR1-MOTTO GREY



4SR1-GRAIN GREY



4SR1 MISSORI GRIGIO



4SR1 MISSORI SAND




4SR1 TIME SAND

2SR1

GLAZED MOSAIC TILE

(Tile Size 47.0x47.0 mm.)
(Sheet Size 297.0x297.0 mm.)

SURFACE : MATT




2SR1-HIDEAWAY ALPINE GREY

2SM

GLAZED MOSAIC TILE

(Tile Size 48.0x48.0 mm.)
(Sheet Size 298.0x298.0 mm.)

SURFACE : MATT



2SM-HAMMOND GREY



2SM-MOTTO GREY


Ocean Vibes - **LIGHT BLUE**




4SR1
GLAZED MOSAIC TILE

(Tile Size 97.0x97.0 mm.)
(Sheet Size 297.0x297.0 mm.)

SURFACE : GLOSSY



4SR1-6423



4SR1-RESORT SKY BLUE

SURFACE : MATT



4SR1-HIDEAWAY ALP CORAL BLUE

2SR1
GLAZED MOSAIC TILE

(Tile Size 47.0x47.0 mm.)
(Sheet Size 297.0x297.0 mm.)


SURFACE : GLOSSY



2SR1-CELADON AQUA

2SM
GLAZED MOSAIC TILE

(Tile Size 48.0x48.0 mm.)
(Sheet Size 298.0x298.0 mm.)



2SM-5496


22S
GLAZED MOSAIC TILE

(Tile Size 57.8x57.8 mm.)
(Sheet Size 304.0x304.0 mm.)

SURFACE : GLOSSY




22S-BL-4/R



22S-6423




22S CARRERA SKY




4SR1
GLAZED MOSAIC TILE

(Tile Size 97.0x97.0 mm.)
(Sheet Size 297.0x297.0 mm.)

SURFACE : MATT



4SR1-HIDEAWAY ALPINE GREEN
4SR1-HAMMOND GREEN




4SR1-I GREEN

2SR1
GLAZED MOSAIC TILE


(Tile Size 47.0x47.0 mm.)
(Sheet Size 297.0x297.0 mm.)

SURFACE : GLOSSY



2SR1-CELADON EMERALD

SURFACE : MATT



2SR1-HIDEAWAY ALPINE GREEN

2SM
GLAZED MOSAIC TILE

(Tile Size 48.0x48.0 mm.)
(Sheet Size 298.0x298.0 mm.)

SURFACE : MATT




2SM-HAMMOND GREEN

22S
GLAZED MOSAIC TILE

(Tile Size 57.8x57.8 mm.)
(Sheet Size 304.0x304.0 mm.)

SURFACE : GLOSSY



22S-BL-3/R



22S CARRERA GREEN




22S RESORT PALM GREEN



22S-BL-13/R

Ocean Vibes - **TURQOUISE**




4SR1


GLAZED MOSAIC TILE

(Tile Size 97.0x97.0 mm.)
(Sheet Size 297.0x297.0 mm.)

SURFACE : GLOSSY



4SR1-RESORT MARINE BLUE



4SR1-RESORT BEACH BLUE

2SR1

GLAZED MOSAIC TILE

(Tile Size 47.0x47.0 mm.)
(Sheet Size 297.0x297.0 mm.)

SURFACE : GLOSSY



2SR1-CELADON COBALT



2SR1-CELADON AZURE

22S


GLAZED MOSAIC TILE

(Tile Size 57.8x57.8 mm.)
(Sheet Size 304.0x304.0 mm.)


SURFACE : GLOSSY



22S RESORT MARINE BLUE




22S-BL-6/R



22S-BL-9/ITL



22S RESORT BEACH BLUE



22S-BL-9/R



22S-BL-10/R




22S-MBL-14/R

2SM

GLAZED MOSAIC TILE

(Tile Size 48.0x48.0 mm.)
(Sheet Size 298.0x298.0 mm.)

SURFACE : GLOSSY




2SM-5494

1S

GLAZED MOSAIC TILE

(Tile Size 25.0x25.0 mm.)
(Sheet Size 300x327.5 mm.)

SURFACE : GLOSSY



1S-BL-9/R


Ocean Vibes - **PACIFIC BLUE**




4SR1
GLAZED MOSAIC TILE

(Tile Size 97.0x97.0 mm.)
(Sheet Size 297.0x297.0 mm.)

SURFACE : MATT



4SR1-MOTTO COAL



4SR1-TIME GREY



4SR1-GRAIN COAL

2SM
GLAZED MOSAIC TILE

(Tile Size 48.0x48.0 mm.)
(Sheet Size 298.0x298.0 mm.)

SURFACE : GLOSSY



2SM-5790

SURFACE : MATT



2SM-MOTTO COAL


Ocean Vibes - **MIDNIGHT BLUE**

POOL Accessories

ขั้นบันได Step thread tiles

MT 4SL-ST-CALACATTA (SW) PM
MT 4SL-ST-HIDEAWAY ALPINE GREEN PM
MT 4SL-ST-HIDEAWAY ALPINE LT-GY PM
MT 4SL-ST-HIDEAWAY ALPINE GREY PM
MT 4SL-ST-S MARBLE (SW) PM






ขอบมันนอก External Corner

MT 4SL-EX-CALACATTA PM
MT 4SL-EX-HIDEAWAY ALPINE GREEN PM
MT 4SL-EX-HIDEAWAY ALPINE LT-GY PM
MT 4SL-EX-HIDEAWAY ALPINE GREY PM
MT 4SL-EX-S MARBLE (SW) PM






ขอบมันใน Internal Corner


MT 4SL-IN-CALACATTA (SW) PM
MT 4SL-IN-HIDEAWAY ALPINE GREEN PM
MT 4SL-IN-HIDEAWAY ALPINE LT-GY PM
MT 4SL-IN-HIDEAWAY ALPINE GREY PM
MT 4SL-IN-S MARBLE (SW) PM














Project Reference

Ocean Vibes - **BABY BLUE**




















Ocean Vibes - **LIGHT BLUE**




















Project Reference


Ocean Vibes - SKY BLUE



4SR1 6423 SLIM



2SM-5437


22S CARRERA SKY


2SM-5496



4SR1-HIDEAWAY ALP CORAL BLUE




4SR1-RESOT SKY BLUE


Ocean Vibes - TURQOUISE



4SR1 HIDEAWAY ALP GREEN





4SR1 HAMMMOND GREEN


22S-BL-3R







4SR1 HIDEAWAY ALP GREEN

Project Reference


Ocean Vibes - **PACIFIC BLUE**
















Ocean Vibes - **MIDNIGHT BLUE**











PACKING SPECIFICATION

Mosaic Tiles (Pallet Size 105x105 cm.)

Size	Tile Size (mm.)	Sheet Size (mm.) Mean	Joint Size (mm.)	Thickness (mm.)	Packing				Sqm. /			Sqf. /			Weight (kgs.)			"Pallet Height (mm.)"
					Pieces / Sheet	Sheets / Carton	Cartons / Pallet	Pallets / 20' FCL	Sheet	Carton	Pallet	Sheet	Carton	Pallet	Net / Carton	Gross / Pallet	Gross / 20' FCL	
06PR	18.9	295x265	1.50	5.20	210	10	99	20	0.0780	0.78	77.21	0.84	8.39	830.78	7.0	723	693	8 tba
06S	18.9x18.9	305.5x305.5	1.50	5.20	225	10	90	20	0.0929	0.93	83.64	1.00	10.00	900	9.3	870	840	850
06T / 06T GI	21.9x72.8	289.7x298.7	2.50	6.50	48	10	90	20	0.0864	0.86	77.79	0.93	9.30	837	11.5	1,065	1,035	930
06T- BRICK	21.9x72.8	290.0x298.5	2.50	6.50	42	10	90	20	0.0762	0.76	68.59	0.82	8.20	738	10.0	930	900	930
06T - HRB	21.9x72.8	270.5x317	2.30	6.50	48	10	90	20	0.0864	0.86	77.79	0.93	9.30	837	11.5	1,065	1,035	950
1S	25.0x25.0	299.8x327.2	2.50	5.20	132	10	108	20	0.0929	0.93	100.37	1.00	10.00	1,080	9.0	1,002	972	950
1SM	23.0x23.0	298x298	2.00	6.00	144	10	90	20	0.0929	0.93	83.64	1.00	10.00	900	10.0	930	900	940
1RM	23x48	298x298	2.00	6.00	72	10	90	19	0.0929	0.93	83.64	1.00	10.00	900	11.4	1,056	1,026	940
2SM	48.0x48.0	298x298	2.00	6.00	36	10	90	19	0.0929	0.93	83.64	1.00	10.00	900	12.0	1,110	1,080	940
2SR1 / 2SR1 GI	47.0x47.0	297x297	3.00	6.00	36	10	90	20	0.0929	0.93	83.64	1.00	10.00	900	11.0	1,020	990	930
22S	57.8x57.8	303x303	3.50	5.20	25	30	36	20	0.0929	2.79	100.37	1.00	30.00	1,080	28.0	1,038	1,008	900
4SR1	97.0x97.0	297x297	3.00	6.00	9	10	90	19	0.0929	0.93	83.64	1.00	10.00	900	12.0	1,110	1,080	930
4SR1 STONEXT	97.0x97.0	LS	/	7.50	/	100	90	19	0.0929	1.02	92.01	1.00	11.00	990	12.0	1,110	1,080	930
4SM	98.0x98.0	298x298	2.00	6.00	9	10	90	19	0.0929	0.93	83.64	1.00	10.00	900	12.0	1,110	1,080	940
4OD	97.0x97.0	297.2x297.2	4.00	6.50	9	25	36	19	0.0929	2.32	83.64	1.00	25.00	900	29.0	1,074	1,044	930
1HE Novo Craft (Hexa)	23.1x26.0	266.1x310.2	3.00	5.20	108	10	90	20	0.0586	0.59	52.78	0.630	6.310	567.90	6.0	596	11,902	946
1HE Novo Craft (Square)	23.1x26.0	266.1x231.9	3.00	5.20	108	10	90	20	0.0586	0.59	52.78	0.630	6.310	567.90	6.0	884	17,680	760
1HE	23.1x26.0	258.7x302.5	3.00	5.20	144	10	90	20	0.0782	0.78	70.43	0.842	8.420	757.80	8.0	740	720	885
22HE	51.1x58.5	277.5x320.8	3.00	6.00	36	10	90	20	0.0899	0.90	80.92	0.967	9.670	870.70	11.5	1,051	1,030.86	945
SL - IN	20.5x97.0x20.5	-	/	6.00	/	20	144	10	0.0028	0.056	8.064	0.030	0.606	87.26	1.3	187	1,872.00	350
SL - EX	20.5x97.0x20.5	-	/	6.00	/	20	144	10	0.0028	0.056	8.064	0.030	0.606	87.26	1.3	187	1,872	350
SL - ST	60.5x97.0	-	/	6.00	/	20	144	10	0.0059	0.118	16.99	0.063	1.250	180.00	2.0	288	2,880	350
GT Promsila	97.0x198.0	-	/	7.50	/	50	100	13	0.0204	1.02	102.23	0.22	11.00	1,100	16.0	1,600	20,800	970
Lantern*	57.0x65.0	26.8x26	2.00	6.00	32	15	54	/	0.0697	1.046	100.42	0.75	11.25	607.8	15.0	810	/	/
Tree Leaf*	48.0x86.0	26.4x28	2.00	6.00	30	15	54	/	0.0739	1.109	100.92	0.80	11.93	644.4	15.0	810	/	/
Arabesque*	48.0x70.0	29x25.2	2.50	6.00	32	15	54	/	0.0731	1.097	100.92	0.79	11.80	637.4	15.0	810	/	/
Brick Box*	48.0x48.0	30.6x30.6	3.00	6.00	36	15	54	/	0.0827	1.240	100.44	0.89	13.34	720.5	15.0	810	/	/
Oriental Fan*	74.4x70.0	25.5x21.9	3.00	6.00	18	15	54	/	0.0559	0.838	100.56	0.60	9.02	486.9	15.0	810	/	/
Linear	22.5x146.5	296x303	3.00	6.00	/	/	/	/	/	/	/	/	/	/	/	/	/	/
Brick 6x24cm*	60.0×240.0	34.4x26.7	3.00	6.00	6	12	91	/	0.0918	1.102	100.28	0.99	11.86	1,079.0	12.0	1,092	/	/
Hex Bevel*	69.8x88.9	31.1x35.6	/	9.50	42	11	54	/	0.0875	0.962	51.95	0.941	10.35	559.0	13.0	702	/	/
GP Hex	200x230	-	3-5*	8.00	/	20	108	/	0.0345	0.69	74.52	0.371	7.42	801.8	11.6	1,253	/	/
Raq Time*	92.0x92.0	-	8*	18.00	/	88	48	/	/	0.88	42.24	/	/	/	25.0	1,200	/	/
AG 10x10*	92.0x92.0	-	8*	13.00	/	100	48	/	/	1.00	48.00	/	/	/	24.0	1,152	/	/
AG 20x10*	192.0x92.0	-	8*	13.00	/	50	48	/	/	1.00	48.00	/	/	/	25.0	1,200	/	/
AG 20x20*	192.0x192.0	-	8*	13.00	/	25	48	/	/	1.00	48.00	/	/	/	27.0	1,296	/	/
GP 6x21.7	60x217	-	3*	65.00	/	76	60	20	/	1.00	60.00	/	/	/	14.5	870	17,400	/
GP 6x21.7 on net	60x217	217x312	3*	65.00	5	15	60	20	/	1.00	60.00	/	/	/	14.5	880	17,760	/
GT 6x21.7	60x217	-	3*	65.00	/	76	60	20	/	1.00	60.00	/	/	/	14.5	870	17,400	/

* White box

TECHNICAL SPECIFICATIONS

Characteristics	Standards	SCGCE Specifications					
		GLAZED MOSAIC (7 cm ≤ N < 15 cm)	GLAZED MOSAIC (N ≥15 cm)	UNGLAZED MOSAIC (7 cm ≤ N < 15 cm)	UNGLAZED MOSAIC (N ≥15 cm)	Metallic Glazed MOSAIC & BL-6,7,13 (7 cm ≤ N < 15 cm)	Metallic Glazed MOSAIC & BL-6,7,13 (N ≥15 cm)
Product classification	ISO 13006/TIS 2508-2555	Group Bla	Group Bla	Group Bla	Group Bla	Group Bla	Group Bla
Water absorption	ISO 10545-3	E ≤ 0.5%	E ≤ 0.5%	E ≤ 0.5%	E ≤ 0.5%	E ≤ 0.5%	E ≤ 0.5%
Modulus of rupture	ISO 10545-4	≥ 35 N/ mm²	≥ 35 N/ mm²	≥ 35 N/ mm²	≥ 35 N/ mm²	≥ 35 N/ mm²	≥ 35 N/ mm²
Breaking Strength, Thickness 7.5 mm.	ISO 10545-4	≥ 1300 N	≥ 1300 N	≥ 1300 N	≥ 1300 N	≥ 1300 N	≥ 1300 N
Breaking Strength, Thickness < 7.5 mm.	ISO 10545-4	≥ 700 N	≥ 700 N	≥ 700 N	≥ 700 N	≥ 700 N	≥ 700 N
Chemical resistance, low concentrate acids and alkalis	ISO 10545-13	Minimum class LB	Minimum class LB	Minimum class LB	Minimum class LB	Minimum class LC	Minimum class LC
Chemical resistance, household and swimming pool salts		Minimum class B	Minimum class B	Minimum class B	Minimum class B	Minimum class B	Minimum class B
Staining resistance	ISO 10545-14	Minimum class 3	Minimum class 3	-	-	Minimum class 3	Minimum class 3
Dimenmsion and surface quality							
Length and Width	ISO 10545-2	± 0.9 mm	± 0.6%	± 0.9 mm	± 0.6%	± 0.9 mm	± 0.6%
Thickness		± 0.5 mm	± 5.0%	± 0.5 mm	± 5.0%	± 0.5 mm	± 5.0%
Crazing resistance (glazed tile)	ISO 10545-11	Resisted	Resisted	-	-	Resisted	Resisted
Abrasion resistance of surface (glazed tile) or PEI**	ISO 10545-7	Minimum class 2 Minimum class 1 (Dark color)	Minimum class 2 Minimum class 1 (Dark color)	-	-	Minimum class 2 (BL-6,7,13) Minimum class 1 (Metallic Color)	Minimum class 2 (BL-6,7,13) Minimum class 1 (Metallic Color)
Abrasion resistance of deep (unglazed tile)	ISO 10545-6	-	-	Maximum 175 mm3	Maximum 175 mm3	-	-
Frost resistance	ISO 10545-12	Required	Required	Required	Required	Required	Required



COTTO

NANO PLASTER
ナノプラスター
คอตโต้ นาโนพลาสเตอร์

กาวปูกระเบื้อง และกาวยาแนว
สำหรับ สระว่ายน้ำ

NEW



สูตรเฉพาะจากประเทศญี่ปุ่น ที่มีโมเลกุลขนาดเล็กเหนือสูตรซีเมนต์ทั่วไป

3 POWER NANO PLASTER ナノプラスター

- Full เต็มร่อง ไม่ยุบตัวแม้แห้งสนิท
- ลดการสะสมฝุ่นและสิ่งสกปรก
- ป้องกันต้นเหตุของราดำ



COTTO

NANO PLASTER
ナノプラスター
คอตโต้ นาโนพลาสเตอร์

กาวยาแนว
สำหรับ สระว่ายน้ำ



JAPAN STANDARD
ผ่านการทดสอบตามมาตรฐานญี่ปุ่น

3 POWER NANO PLASTER ナノプラスター

- Full เต็มร่อง ไม่ยุบตัวแม้แห้งสนิท
- ลดการสะสมฝุ่นและสิ่งสกปรก
- ป้องกันต้นเหตุของราดำ



ขาว WHITE	1105622	เทา GREY	1105621
เทาเงิน SLIVER GREY	1105624	เทาแกรนิต GRANITE	1105623
ดำ BLACK	1105610		

- ☑ ทนทานสารคลอรีน หรือเกลือที่ใช้ในสระว่ายน้ำ
- ☑ เนื้อกาวแน่น แข็งแรงสูง ทนทานแรงดันของน้ำ ไม่แตกร้าว ใช้กับร่องยาแนวขนาด 2 – 15 มม.
- ☑ แรงยึดเกาะสูง ลดปัญหาการหลุดล่อน ได้ดีกว่ายาแนวชนิดทั่วไป
- ☑ ป้องกันที่ต้นเหตุของราดำ
- ☑ ปลอดภัยต่อสุขภาพ

- กระเบื้องต้องแห้งสะอาดและไม่ควรปูกระเบื้องแบบซาลาเปา
- ความหนาของกาวปูกระเบื้องที่เหมาะสมคือ 6 -10 มิลลิเมตร
- การปูกระเบื้องควรเว้นร่องยาแนว อย่างน้อย 2 มิลลิเมตร
- เพื่อความปลอดภัยสำหรับการใช้งาน ควรจะศึกษาการใช้งานโดยละเอียดจากเอกสาร หรือเจ้าหน้าที่ของคอตโต้

